State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-243-13

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

VOLVO TRUCK CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Volvo Truck Corporation 1993 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Fuel Type: Diesel

Engine Family	Liters	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
PVT06.7FAA9	6.7	409	Smoke Puff Limiter Charge Air Cooler Turbocharger

Engine models and codes are listed on attachments.

The following are the certification emission standards for this engine family in grams per brake-horsepower-hour:

Hydrocarbons	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.25

The following are the certification emission values for this engine family in grams per brake-horsepower-hour:

Engine <u>Family</u>	Hydrocarbons	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
PVT06.7FAA9	0.4	1.7	4.7	0.16

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 30 day of March, 1993.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

E.O.# A-243-13 Page <u>10F 2</u>

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Manufacturer	VOLVO TRUCK CORPORAT	TION Engine	Family PVTO6.7FAA9
Liters (CID)	6.7 (409) F		Engine Config. 16
Exhaust ECS & S (Use abbreviati	pecial Features(ECM ons per SAE J1930 M	/PCM, PTOX, IFI, etc AY91)	.) SPL, TC, CAC
Engine Model	Rated HP Fuel	Rate Fuel Pump	ECM/PCM Part. Trap/

Engine Model (Eng. Code)	Rated HP @ RPM 	Fuel Rate @ Rated HP mm^3 / stroke (1bs/hr)	Fuel Pump & Injector P/N	I ECM/PCM I P/N I	Part. Trap Catalyst P/N
TD73EA (1)	215/2400	107 (84.8)	Bosch 477460/ 477504		
TD73EB (工)	250/2400	123 (97.1)	Bosch 477487/ 444504		
		·			
		†	İ		

Revisions: